

Examples

About

This category is the parent category for examples.

- [Advanced SBC with mod_lcr and mod_easyroute](#)
- [AutoProvisioning and Dynamic Directories](#) — quick and nasty auto-provisioning, dynamic directories, and queues for Snom and Polycom.
- [Caller ID LDAP Lookup](#) — A simple script to sort incoming calls based on an LDAP entry,
- [Detect Active Channels](#) — Methods to list active call sessions.
- [Email2callback](#) — A Python script that triggers a call from an e-mail message.
- [ENUM Caller ID lookup](#) — Performing CNAM dips with ENUM/E.164 and mod_perl
- [Example Hangup hook](#)
- [Examples spoof.py](#)
- [Force transfer context example](#)
- [Ham Radio](#)
- [Home PBX Example](#)
- [IVR in Perl](#) — This example demonstrates the usage of mod_perl in the dialplan.
- [mod_perl examples by Mitch Capper](#) — Control FreeSWITCH, intercept a session with Perl scripts.
- [Multi-line rollover](#) — Emulate shared call appearance on 2-line phones.
- [Multi-tenant](#)
- [No-Media Mode \(SDP pass through\) Example](#)
- [Originate Example](#) — Simple examples to use the originate API command to initiate calls.
- [Park & Retrieve](#)
- [Playing recording external media](#)
- [Presence](#)
- [PRESENCE IN event example](#)
- [Regular Expression](#) — A list of useful regular expression examples.
- [Simple Call Forward with IVR](#) — Set up Call Forwarding using the dialplan instead of a button on your phone.
- [Simple Day Nite Mode](#) — A very simple example of using the dialplan to manipulate global variables.
- [Simple IVR in JavaScript](#)