

Modules

About

The functionality of FreeSWITCH can be expanded through the addition of modules that perform a particular task, whether that task is simple or complex. The modules can be grouped into broad categories as tagged with labels on their individual module pages.

Configuration

Setting a module to 'critical'

If, for some reason, you need to prevent FreeSWITCH from starting at all on the failure of a specific module to load at startup then use the 'critical' attribute:

```
<load module="mod_really_important" critical="true"/>
```

If module *mod_really_important* fails to load then FreeSWITCH will abort.

Locating the module file in a different path

If you use commercial module *mod_com_g729*, you should move it into a separate folder like *mod_com* and set the following for your entry. This will serve to still delete the folder *lib bin mod* and do make install from the *freeswitch* folder and not lose your *mod_com_g729*:

```
<load module="mod_com_g729" path="/opt/fs/mod_com"/>
```

Module List

Applications

- [mod_signalwire](#) (FreeSWITCH)
 - [signalwire](#)
 - [modules](#)
 - [applications](#)

Script Languages

- [mod_java](#)
 - [modules](#)
 - [scripts](#)
 - [java](#)
- [mod_lua](#)
 - [modules](#)
 - [scripts](#)
 - [lua](#)
- [mod_perl](#)
 - [modules](#)
 - [scripts](#)
- [mod_python](#)
 - [modules](#)
 - [scripts](#)
 - [python](#)
- [mod_ruby](#)
 - [modules](#)
 - [scripts](#)
 - [ruby](#)
- [mod_v8](#)
 - [modules](#)
 - [scripts](#)

Codecs

- mod_amr
 - codecs
 - modules
- mod_amr_wb
 - codecs
 - modules
- mod_celt
 - modules
 - codecs
- mod_codec2
 - modules
 - codecs
- mod_com_g729
 - modules
 - codecs
- mod_g711
 - modules
 - codecs
- mod_g723_1
 - modules
 - codecs
- mod_g729
 - modules
 - codecs
- mod_iLBC
 - modules
 - codecs
- mod_isac
 - modules
 - codecs

Databases

- mod_cdr_mongodb
 - modules
 - databases
 - logging
- mod_cidlookup
 - modules
 - databases
- mod_curl
 - modules
 - databases
- mod_db
 - modules
 - dialplan
 - databases
- mod_memcache
 - modules
 - databases
 - high-volume
- mod_mongo
 - modules
 - databases
- mod_odbc_query
 - databases
 - modules
- mod_xml_curl
 - modules
 - databases

High Volume Systems

- Call Center
 - modules
 - high-volume
 - learn
- mod_avmd
 - modules
 - high-volume
- mod_callcenter
 - modules
 - high-volume
 - contributed
- mod_com_amd
 - modules
 - high-volume
- mod_distributor
 - modules
 - high-volume
- mod_easyroute
 - modules
 - high-volume
- mod_fifo
 - modules
 - high-volume
- mod_memcache
 - modules
 - databases
 - high-volume
- mod_redis
 - modules
 - high-volume

Event Socket Layer

- mod_erlang_event
 - modules
 - esl
 - erlang
- mod_event_socket
 - modules
 - esl
 - events
 - socket
- mod_event_zmq
 - modules
 - events
 - esl
 - zmq
- mod_kazoo
 - modules
 - esl
 - 2600hz

Logging

- mod_cdr_mongodb
 - modules
 - databases
 - logging
- mod_json_cdr
 - modules
 - logging
- mod_logfile
 - logging
 - modules
 - debugging
- mod_odbc_cdr
 - modules
 - logging
 - cdr
- mod_osp
 - modules
 - logging

Endpoints

- Creating a New Endpoint: Lifecycle of a Session
 - learn
 - debugging
 - developers
 - modules
 - endpoints
- Endpoints
 - endpoints
 - modules
 - protocols
 - introduction
- mod_gsmopen
 - modules
 - endpoints
 - examples
- mod_opal
 - modules
 - endpoints
- mod_rtmp
 - modules
 - endpoints
- mod_skypopen
 - modules
 - skype
 - endpoints
 - protocols
- mod_sofia
 - endpoints
 - protocols
 - modules
- mod_verto
 - endpoints
 - modules
 - protocols
 - featured
 - verto
 - rpc
 - json-rpc
 - webrtc

Dialplans

- [mod_db](#)
 - [modules](#)
 - [dialplan](#)
 - [databases](#)
- [mod_dialplan_asterisk](#)
 - [modules](#)
 - [dialplan](#)
- [mod_dptools](#)
 - [dialplan](#)
 - [modules](#)
 - [apps](#)
- [mod_dptools: cng_plc](#)
 - [dialplan](#)
 - [modules](#)
 - [networking](#)
- [mod_dptools: log](#)
 - [dialplan](#)
 - [modules](#)
- [mod_dptools: media_reset](#)
 - [dialplan](#)
 - [modules](#)
- [mod_dptools: mkdir](#)
 - [dialplan](#)
 - [modules](#)
- [mod_dptools: multiset](#)
 - [dialplan](#)
 - [modules](#)
- [mod_dptools: mutex](#)
 - [dialplan](#)
 - [modules](#)
- [mod_dptools: park](#)
 - [dialplan](#)
 - [modules](#)

Clients

- [mod_console](#)
 - [clients](#)
 - [interfaces](#)
 - [modules](#)

Language-related

Content by label

There is no content with the specified labels